

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42854	encod\$3 and decod\$3 and (transmit\$4 with location) and (packet with location) (location with descri\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 08:52
L2	42020	encod\$3 and decod\$3 and (transmit\$4 near location) and (packet near location) (location with descri\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 08:53
L3	4806	encod\$3 and decod\$3 and (transmit\$4 near location) and (packet near location) (location near descri\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 08:53
L4	0	3 and (assign\$4 near location) and (coordinate near chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 08:54
L5	1	3 and (coordinate near chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 08:54
L6	141	3 and (assign\$4 near location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 08:54
L7	40	6 and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:45
L8	0	7 and (coordinat\$3 with chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 08:55

L9	10	7 and chain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 08:57
L10	11	7 and navigation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:01
L11	1	7 and navigation and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:05
L12	17	(packet near location) and (packet near descri\$5) and encod\$3 and decod\$3 and ((transmission or transmit\$4) near path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:08
L13	0	12 and navigation and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:07
L14	3	12 and traffic and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:08
L15	0	(packet near location) and (packet near descri\$5) and encod\$3 and decod\$3 and ((transmission or transmit\$4) ) and navigation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:14
L16	6	(packet near location) and (packet with descri\$5) and encod\$3 and decod\$3 and ((transmission or transmit\$4) ) and navigation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:09

L17	3	16 and traffic and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:09
L18	39	(packet with location) and (packet with descri\$5) and encod\$3 and decod\$3 and ((transmission or transmit\$4) ) and navigation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:09
L19	10	18 and traffic and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:15
L20	4378	(packet near (encod\$3 or decod\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:14
L21	182	20 and navigation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:14
L22	72	21 and (packet with (location or address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:15
L23	26	22 and (packet with descri\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:15
L24	2	23 and traffic and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:20

L25	6	23 and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:33
L26	1061	2 and navigation and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:24
L27	0	26 and (packet near transmit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:24
L28	7	26 and (packet near transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:25
L29	2	26 and (packet near encod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:25
L30	4	26 and (packet near decod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:27
L31	2	("6393149").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:27
L32	10	(encod\$3 near packet) and (decod\$3 near packet) and navigation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:33

L33	5	32 and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:39
L34	19	(packet near (transmission or transmit\$4)) and (location with descri\$5) and navigation and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:39
L35	19	34 and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:40
L36	14	34 and @ad<"20000515" and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:50
L37	1061	2 and navigation and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:45
L38	674	37 and map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:45
L39	87	38 and (packet with (transmit\$4 or transmission))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:46
L40	50	39 and chain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:46

L41	2	40 and (coordinat\$4 with chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:47
L42	49	40 and coordinat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:49
L43	29	(packet near location) and navigation and transmit\$4 and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:49
L44	81	(packet near (location or address)) and navigation and transmit\$4 and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:54
L45	42	44 and @ad<"20000515" and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:56
L46	19	45 and ((location or address) with descri\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:56
L47	32	(packet near (location or address)) and (vehicle and navigat\$3) and transmit\$4 and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:56
L48	15	47 and @ad<"20000515" and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:54



L49	120	(packet near (location or address)) and (navigat\$3) and transmit\$4 and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 10:35
L50	59	49 and @ad<"20000515" and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 10:36
L51	28	50 and ((location or address) with descri\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:57
L52	134	(packet near (location or address)) and (navigat\$3) and transmit\$4 and (encod\$3 or convert\$3 or compress\$3) and (decod\$3 or decompress\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 10:35
L53	59	52 and @ad<"20000515" and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 10:36
L54	44	52 and @ad<"20000515" and traffic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:17
L55	2	54 and (chain with coordinat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 10:38
L56	29	54 and ( coordinat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 10:37

L57	19	54 and (chain 3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 10:38
L58	28	54 and navigation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 10:45
L59	2	54 and (packet near separate\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 10:49
L60	8	54 and (packet near (part or segment or partition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:16
L61	145	(packet with coordinat\$3) and navigat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:16
L62	1	61 and (coordinat\$3 near chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:17
L63	145	61 and (coordinat\$3 wiht chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:17
L64	1	61 and (coordinat\$3 with chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:17



L65	60	61 and (coordinat\$3 with point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:17
L66	6	61 and (coordinat\$3 near point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:17
L67	2	66 and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:20
L68	22	65 and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:22
L69	22	(packet near (location or address)) and transmit\$4 and ((location or address ) near coordinat\$3) and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:30
L70	1	69 and (coordinat\$3 near point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:24
L71	6	69 and (coordinat\$3 with point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:26
L72	3	69 and (coordinat\$3 with map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:30

L73	110	(packet with (location or address)) and transmit\$4 and ((location or address ) near coordinat\$3) and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:36
L74	20	73 and (coordinat\$3 with map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:36
L75	152	((packet or package) with (location or address)) and transmit\$4 and ((location or address ) near coordinat\$3) and @ad<"20000515"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:36
L76	30	75 and (coordinat\$3 with map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:38
L77	5	75 and (coordinat\$3 with map\$4) and encod\$3 and decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:37
L78	13	75 and (coordinat\$3 with map\$4) and navigat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 11:38
S1	1	"332450".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 18:34
S2	0	"0700088".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 18:34

S3	0	"070088".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 18:37
S4	2	("6728631").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 18:39
S5	2	("6687611").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 19:10
S6	1	"031499".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 09:32
S7	2	("6169515").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 19:12
S8	2	("5745867").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/01 19:13
S9	4	("6249740").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 08:50



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

packet "separate location" traffic coordinate ch

[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 3 of 3 for **packet "separate location" traffic coordinate chain description navigation enco**

Tip: Try removing quotes from your search to get more results.

**Printable Glossary**

Used by relatively sophisticated modems for **transmitting** digital signals over a

... Putting an audio signal through a digital **encoding/decoding** process more ...

[www.prss.org/resources/print\\_glossary.cfm](http://www.prss.org/resources/print_glossary.cfm) - 101k - Jun 30, 2005 - [Cached](#) - [Similar pages](#)

**[PDF] Derwent**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Detailed Description:** An annular filter insert has a carrier frame (2) in the interior clean space (4) within the insert, a filter material (3) surrounding the ...

[www.thomsonscientific.jp/products/itp/pdf/comp/itctino07.pdf](http://www.thomsonscientific.jp/products/itp/pdf/comp/itctino07.pdf) - Supplemental Result - [Similar pages](#)

**<p>Lois McMaster Bujold</p> <p>Mirror Dance</p>**

File Format: Unrecognized - [View as HTML](#)

... equipment hanging decoratively on a jeweled **chain** across her ... The **traffic** control patterns made a maze of colored lights on the **navigation** console, through ...

[www.fictionbook.ru/author/bujold\\_lois\\_mcmaster/mirror\\_dance/bujold\\_mirror\\_dance.fb2](http://www.fictionbook.ru/author/bujold_lois_mcmaster/mirror_dance/bujold_mirror_dance.fb2) - Supplemental Result - [Similar pages](#)



packet "separate location" traffic cod

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Some authors solve this problem by **transmitting** the drift signal as side information,  
... Initial experiments show that **traffic smoothing** does not result in ...

[www.spie.org/scripts/toc.pl?ab=&journal=SPIE.&volume=5022](http://www.spie.org/scripts/toc.pl?ab=&journal=SPIE.&volume=5022) - 191k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**




packet separate location traffic coord    **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



**Web** Results 1 - 10 of about 820 for packet separate location traffic coordinate chain description navigati

#### Printable Glossary

Putting an audio signal through a digital **encoding/decoding** process more than ... the ISP rents or a **separate location** from the telecommunications provider, ...  
www.prss.org/resources/print\_glossary.cfm - 101k - Jun 30, 2005 - [Cached](#) - [Similar pages](#)

#### Film Victoria - Glossary

Skip to section **navigation** Skip to content Film Victoria logo - link to Film ...  
Compression Decompression or **encoder / decoder**: any technology that ...  
www.film.vic.gov.au/resources/glossary.shtml - 101k - Jun 30, 2005 - [Cached](#) - [Similar pages](#)

#### EP patents matching keyword 'extend'

EP810571, **Navigation** system using portable phone and **navigation** method using ...  
EP350281, Method and apparatus for **encoding, decoding and transmitting** data ...  
gauss.bacon.su.se/indices/keyword/88/ - 264k - [Cached](#) - [Similar pages](#)

#### EP patents matching keyword 'transform'

EP455738, Low bit rate transform coder, **decoder** and **encoder/decoder** for high-quality ...  
... EP288159, Digital equalizer apparatus enabling **separate** phase and ...  
gauss.bacon.su.se/indices/keyword/221/ - 442k - [Cached](#) - [Similar pages](#)  
[ [More results from gauss.bacon.su.se](#) ]

#### EP patents published 1997

EP754374, Compact source coding tables for **encoder/decoder** system ... EP755039,  
Method and system for the prognosis of **traffic** flow ...  
patent.lange.dk/ziki/indices/year/1997/ - 392k - [Cached](#) - [Similar pages](#)

#### EP patents published 1993

EP535428, Integration of synchronous and asynchronous **traffic** on rings ...  
EP537756, Information distributing system with sub-stations **transmitting** ...  
patent.tange.dk/ziki/indices/year/1993/ - 384k - [Cached](#) - [Similar pages](#)

#### ATKSI - Glossary of Terms

This recently defined video **encoding** and **decoding** scheme has mixed reviews. ...  
A **packet** generally contains the destination address as well as the data to ...  
www.atksi.com/glossary.htm - 131k - [Cached](#) - [Similar pages](#)

#### [PDF] European Broadcasting Union Society of Motion Picture and ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
**decoding** and re-**encoding** and by employing compression algorithms that provide  
adequate post- production headroom for the end-to-end production **chain**. ...  
www.smpte.org/engineering\_committees/pdf/tfhs\_out.pdf - [Similar pages](#)

#### Opentopia Encyclopedia

At a **location**, **traffic** refers to the coming and going of things. ... as: **Decoding**  
the meaning of the source text, and Re-**encoding** this meaning in the target. ...  
encycl.opentopia.com/T/TR/TRA - 513k - [Cached](#) - [Similar pages](#)

#### Search SPIE Papers - Publications - SPIE Web